



AIRBORNE HAZARD DEFENCE

The NEW Force™ 10 Typhoon™ is an extremely lightweight, easy to maintain full face mask with panoramic visor. Available in 3 sizes (S, M, L) and the ability to fit PressToCheck™ filters the user can feel reassured of an excellent fit and exceptional level of performance.





TYPHOON™
Typhoon™ valve technology built in
-40°C TESTED

VIDEO & INFORMATION
<http://bit.ly/JSP-Force10>



FORCE™ 10 TYPHOON™ SPECIFICATION

MATERIALS & VITAL STATISTICS	Orinasal	Thermoplastic Elastomer and Polypropylene
	Panoramic visor	Polycarbonate
	Typhoon™ exhalation valve casing	Polycarbonate
	Typhoon™ exhalation valve diaphragm	Silicone
	Head harness	Thermoplastic Elastomer
	Buckles	ABS
	Weight	<370g approx

STANDARDS	Respirator	✓	EN136
	Visor	✓	EN166
	Particulate filter performance	✓	EN143
	Gas filter performance	✓	EN14387
	Flammability	✓	EN136
	bsi. Kitemark™	✓	KM586271
	EC Type examination certificate number	✓	683396



FORCE™ 10 SMALL (MASK ONLY)
Force™ 10 respirator: EN136

BPB003-104-000 Qty 1




FORCE™ 10 MEDIUM (MASK ONLY)
Force™ 10 respirator: EN136

BPB003-004-000 Qty 1



FORCE™ 10 LARGE (MASK ONLY)
Force™ 10 respirator: EN136

BPB003-204-000 Qty 1



✓ EXCELLENT FACE SEAL
Extensive research has been carried out by NIOSH (ISO16976-2) to distinguish the world's 5 most common facial shapes. Using this research JSP have digitally optimised the ergonomics of the Force™ 10 Typhoon™ face seal to maximise wearer compatibility.



✓ LIGHTWEIGHT COMFORT
Comfort is a key feature of this ultra lightweight mask, the web like structure of the harness cradles the user's head ensuring wearer comfort throughout the working day. Different sizing options (S, M, L) allow for a more tailored fit and greater face seal.



✓ PANORAMIC IMPACT VISOR
The optical class 1 visor conforms to EN166 offering impact protection at speeds of up to 270 mph (tested using a 6mm steel ball bearing). Force™ 10 Typhoon™ comes complete with a replaceable peel-off visor protector to prolong its life.

METICULOUSLY ENGINEERED

The Force™ 10 Typhoon™ has been meticulously engineered to incorporate a small number of key components. Disassembly, cleaning and maintenance are effortless with replacement parts available if necessary.



PRESSCHECK™



Filter Name
Filter Type
Product Code

F-4003
P3 R D

F-4123
A2 P3 R D

F-4713
ABEK1 P3 R D

BMN990-001-700

BMN740-000-600

BMN750-000-600

Organic vapours (>WEL*) (A)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Inorganic vapours (>WEL*) (B)			<input checked="" type="checkbox"/>
Acidic vapours (>WEL*) (E)			<input checked="" type="checkbox"/>
Ammonia vapours (>WEL*) (K)			<input checked="" type="checkbox"/>
Nuisance odours (<WEL*)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dusts (P)	<input checked="" type="checkbox"/> Very Fine	<input checked="" type="checkbox"/> Fine	<input checked="" type="checkbox"/> Fine
Mists	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Water based painting	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Solvent based brush painting		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Rubbing down paint	<input checked="" type="checkbox"/> Power Tool	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Paint stripping, chemical or heat		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
White spirit		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Chlorine (cleaning & pools)			<input checked="" type="checkbox"/>
Glyphosate (weed killer)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Brick acid (graffiti removal)			<input checked="" type="checkbox"/>
Formaldehyde			<input checked="" type="checkbox"/>
Fibres & fibre glass	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Plaster	<input checked="" type="checkbox"/>		
Silica (concrete/stone cutting)	<input checked="" type="checkbox"/>		
Woods (hard & soft)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MDF (machine tooling)			<input checked="" type="checkbox"/>
Welding (ferrous & lead)	<input checked="" type="checkbox"/>		
Earth moving (contaminated)			<input checked="" type="checkbox"/>



JSP Ltd, Worsham Mill, Minster Lovell, Oxford, OX29 0TA, England
Tel: +44 (0)1993 826050 Fax: +44 (0)1993 824411
sales@jgpsafety.com export@jgpsafety.com www.jgpsafety.com
Issued: Copyright © 08/18 JSP Ltd. All Rights Reserved

